



30 Pine Street • New Rochelle • New York • 10801

1 - 914 / 576 - 0200

1 - 914 / 576 - 0605 fax

1 - 800 - 431 - 2745 US & Canada

www.bakerspride.com web address

Y-800-DSP

Gas Display Oven

PARTS LIST

UltraDeck 8

GAS DISPLAY SERIES



(Shown with custom brass trim)

Model Number: **Y-800-DSP**

Serial Number _____


Type of Gas

Natural ☐

L.P. ☐


Other ☐

Exterior / Decks / Doors



| Item | Part # | Description | Item | Part # | Description |
|------|--------|---|------|----------|---|
| 1 | A1153X | Hearth Trim Assy, S/S (1) | 51 | Q3016A | Washer, #6 External Star (Hinge) |
| 2 | A3278U | Door Handle Bracket Assy, Bottom Left | 52 | Q3017A | Washer, #10 Lock-Star Ext. (Latch) |
| 3 | A3279U | Door Handle Bracket Assy, Bottom Right | 53 | Q3023X | Spacer Kit, Door Pin |
| 4 | A3280A | Door Handle Bracket Assy, Top Left | 54 | Q3024X | Spacer Kit, Door Rod |
| 5 | A3281U | Door Handle Bracket Assy, Top Right | 55 | R3002Y | Flue Diverter, Direct Vent |
| 6 | A4001X | Bottom Apron, S/S (Top Oven of Double Stack) | 56 | R3115Y | Flue Diverter, Collection Hood |
| 7 | A4134A | Hearth Liner Sheet, Lg, 43 1/2 (1) | 57 | S1003X | Leg, 16" (ea) |
| 8 | A4135A | Hearth Liner Sheet, Sm, 22 3/4" (1) | 58 | S1003Y | Legs, 16" (Set/4, w/Bolts) |
| 9 | A4140Z | Shim, Hearth (ea) | 59 | S1004X | Leg, 30" (ea) |
| 10 | A4184U | Front Panel Assy, Left, S/S, Front Mount | 60 | S1004Y | Legs, 30" (Set/4, w/Bolts) |
| 11 | A4185U | Front Panel Assy, Right, S/S | 61 | S1005A | Knob, Push-Pull, 3/8"-16 |
| 12 | A4187U | Front Panel Assy, Left, S/S, Side Mount | 62 | S1010A | Knob, Flue Slide |
| 13 | A4202X | Top Trim, S/S | 63 | S1018T | Leg, 12" (ea) |
| 14 | A4207X | Outer Top Assy, S/S | 64 | S1018Y | Legs, 12" (Set/4, w/Bolts) |
| 15 | A4215X | Outer Side, Right, S/S | 65 | S1076X | S/S Leg Wrap, 12" (Set/2) |
| 16 | A4227U | Outer Back Assy, S/S | 66 | S1077X | S/S Leg Wrap, 16" (Set/2) |
| 17 | A4237K | Outer Side, Left SS, Rear Half (Side Mount) | 67 | S1078X | S/S Leg Wrap, 30" (Set/2) |
| 18 | A4262X | Flame Diverter, Side (2) | 68 | S1325A | Door Handle, Wooden, Long, Top Door |
| 19 | A4263X | Flame Diverter, Center (1) | 69 | S1330A | Door Handle, Wooden, Short, Bttm Door |
| 20 | A4265X | Flame Diverter, Slide Out (2) | 70 | S1346A | Latch, Mini Quarter Turn |
| 21 | A4277X | Hearth Frame Assy, Side (2) | 71 | S1376A | Hinge, Blk, Type "A" (Bottom) |
| 22 | A4286K | Door Seal, Right Top | 72 | S1377A | Hinge, Blk, Type "B" (Top) |
| 23 | A4287K | Door Seal, Left Top | 73 | S3003X | Spring, Top Door, 1 1/8" x 9 3/4" |
| 24 | A4292T | Hearth Frame Assy, Center (1) | 74 | S3004X | Spring, Bottom Door 13/16" x 6 3/4" |
| 25 | A4586T | Flue Slide Assy, Lower, Left | 75 | S3007X | Teflon Bushing Assy |
| 26 | A4587T | Flue Slide Assy, Lower, Right | 76 | S3009X | Pin, Door, Right Side (9/16"-18 x 3") |
| 27 | A4861U | Upper Arch Assy S/S Top Oven | 77 | S3036X | Push-Pull Rod |
| 28 | A4943T | Control Panel Sleeve Assy, PC-Blk | 78 | S3056X | Lever, Door Spring (3 1/2") |
| 29 | A4944C | Access Door Assy, Black PC | 79 | S3128A | Door Rod, 3/4" Dia. x 17 1/2" |
| 30 | A4945K | Top Trim, Left-Side, S/S (Side Mount) | 80 | S3128X | Door Rod, Left Side (3/4" x 17 1/2") |
| 31 | A4223K | Skirt, 30"H Front (Single Stack) | 81 | S3133X | Insert Only (Duralon) |
| 32 | A4953K | Skirt, 16"H Front (Double Stack) | 82 | S3134A | Bushing, 0.81/0.88 ID x 1.0 x 1.25 OD |
| 33 | A4955K | Skirt, 16"H Side (Double Stack) | 83 | S3135X | Bushing w/Insert, Door Rod (3/4") |
| 34 | A4224K | Skirt, 30"H Side (Single Stack) | 84 | S3137A | Bushing, 0.69/0.75 ID x 0.88 OD x 2" |
| 35 | A4964K | Tile Flange, Vertical | 85 | S3138X | Sleeve Assy, Door Pin |
| 36 | A4981T | Door Assy, Bottom PC-Blk | 86 | S3236A | Push-Pull Rod, 12 3/4" |
| 37 | A4988K | Bottom Apron (Bottom Oven of Double Stack or Single Oven) | 87 | T1152X | Steel Baking Deck |
| 38 | A4989T | Door Assy, Top PC-Blk | 88 | T1153X | Hearth Baking Deck, 22 x 33x 1 1/2 (Set/4) |
| 39 | A4993K | Outer Side, Left, S/S, Front Half (Front Mount) | 89 | T1153Y | Hearth Baking Deck, 22 x 33 x 1 1/2 (ea) |
| 40 | A4995K | Outer Side, Left, S/S, Front Half (Side Mount) | 90 | U1240A | Label, Unit For Use Only With..... |
| 41 | K1099K | Wedge, Hearth, 30" (2) | 91 | U1243A | Label, Ventilation Hood, Bi-Ling |
| 42 | Q1001A | Screw, 6-32 x 1/4", Rnd Hd, Slot (Hinge) | 92 | U1245A | Label, Gas Shut-Off Valve (Bi-Ling) |
| 43 | Q1463A | Screw, 10 X 1/2", Truss Hd, Slot (Latch) | 93 | U1333A | Label, Warning (Pizza Oven/Cordierite) |
| 44 | Q2102A | Bolt, Leg, 1/2-13 x 1 (ea) - Not Shown | 94 | U1356A | Push-Pull Plate [Y6000] |
| 45 | Q2217A | Bolt, Push-Pull Rod | 95 | U1364A | Label, Warning |
| 46 | Q2301X | Shoulder Bolt, 3/8-16 x 1" | 96 | U4007A | Gas Oven Installation/Operation Manual |
| 47 | Q2303X | Bolt, Door Rod, 3/8-16 (2) | 97 | Y8Kit#12 | Arch/Dome Kit Y8 DSP (Top Oven Only) |
| 48 | Q2306A | Nut, Push-Pull Rod (2) | 98 | R1062P | Gas Inlet Assembly |
| 49 | Q2401X | Nut, Door Rod (9/16-18) | 99 | A4799C | Center Apron, PC-Blk (Bet. Upper & Lower Ovens) N/S |
| 50 | Q3009A | Flat Washer, Push-Pull Rod (2) | | | |

Controls / Interior Components



| Item | Part # | Description | Item | Part # | Description |
|------|--------|--|------|--------|--|
| 1 | L5001X | Inspirator #3 | 28 | N3060P | Manifold Tee Assy (32 1/2") |
| 2 | L5048P | Burner w/Cap & Elbow, Left, 15 1/2" x 38 1/2" | 29 | N3068P | Pressure Tap Nozzle Assy |
| 3 | L5049P | Burner w/Cap & Elbow, Right, 15 1/2" x 38 1/2" | 30 | N5009A | Nipple |
| 4 | L5058X | Burner, Complete (To Union) | 31 | N5215A | Nipple |
| 5 | M1005X | Thermostat, Gas, FDTH (650F) | 32 | N5220P | Nipple |
| 6 | M1220X | Pilot Burner, Natural, w/Ftgs, 2 CHA-1 | 33 | N5232A | Nipple |
| 7 | M1221X | BMVR Valve Kit, LP - Not Shown | 34 | Q4021X | Capillary Clip |
| 8 | M1222X | Pilot Burner, LP, w/Fittings, 2 CHA-1 | 35 | R1041P | Manifold Assy |
| 9 | M1242X | Control Assy, Nat BMVR 650°F | 36 | R3004A | Spud Holder #3 |
| 10 | M1244X | Orifice, Pilot, Nat, 2 CHA-1 (.018") | 37 | R3005A | Adjusting Disc, #3 |
| 11 | M1245X | Orifice, Pilot, LP, 2 CHA-1 (.010") | 38 | R3006A | Locking Disc, #3 |
| 12 | M1248X | Control Assy, LP BMVR | 39 | R3007X | Spud Assy #3 |
| 13 | M1260X | BMVR Valve Kit, Nat - Not Shown | 40 | R3008X | Orifice, Blank - Not drilled |
| 14 | M1265X | Thermopile, Q313 (w/Armoured Cable) | 41 | R3036X | Pilot Tubing, S/S, 3/16" x 45" |
| 15 | M1300P | Control Assy, Nat Gas, CE (U7mvr) 650°F | 42 | R3104X | Valve, BMVR, Nat |
| 16 | N3002A | Tee | 43 | R3117X | Orifice, Nat, #25 Drill (2) |
| 17 | N3004A | Elbow | 44 | R3124X | Valve, BMVR, LP |
| 18 | N3007A | Coupling | 45 | R3129X | Orifice, LP, #43 Drill (2) |
| 19 | N3008A | Bushing, Reducing | 46 | R3137E | Valve Assy, U7000mvr CE Comhi, Nat Gas |
| 20 | N3013A | Pipe Cap | 47 | R3182A | Ball Sleeve, Annealed (Use w/M1220A) |
| 21 | N3016A | Elbow | 48 | S1056X | Knob, Thermostat, 650°F (Side Control) |
| 22 | N3021A | Elbow | 49 | S1163X | Knob, Thermostat, CE, 340°C |
| 23 | N3022A | Plug | 50 | S1385A | Knob, Thermostat, 650°F, 3" Dia (Front Mount) |
| 24 | N3026M | Union, Male | 51 | S1453A | Knob, Combination Valve |
| 25 | N3027F | Union, Female | 52 | M1002X | Automatic Oven Starter (7 Day Timer) - Not Shown |
| 26 | N3028P | Union, Female | 53 | X1132Q | Packaging Kit (Y800 wo/Dome) - Not Shown |
| 27 | N3029P | Union, Male | 54 | X1133Q | Crate, Y-800 Top Oven w/Dome - Not Shown |